

# 2020 年苏州市吴江区备案制幼儿教师公开招聘总成绩公布及进入体检人员名单

请进入体检的考生于 2020 年 2 月 18 日下午 2:30 前到江苏省吴江中等专业学校（松陵镇松陵大道 1200 号）报告厅集中，布置体检和政审事宜，请携带本人身份证、一张 2 寸证件彩照（应届毕业生还需带上空白《就业协议书》）准时参加，逾期责任自负。

苏州市吴江区教育局  
2020 年 1 月 20 日

附件：2020 年苏州市吴江区备案制幼儿教师公开招聘总成绩公布及进入体检人员名单

序号	准考证号	岗位代码	笔试成绩	面试总分	总成绩	总名次	是否进入体检
1	2019120010108	001	80.0	86.07	83.04	1	进入体检
2	2019120010120	001	74.5	83.40	78.95	2	进入体检
3	2019120010118	001	73.0	79.67	76.34	3	进入体检
4	2019120010110	001	67.5	84.47	75.99	4	进入体检
5	2019120010116	001	71.5	80.07	75.79	5	进入体检
6	2019120010102	001	74.5	74.86	74.68	6	进入体检

7	2019120010117	001	71.0	76.33	73.67	7	进入体检
8	2019120010111	001	64.5	79.17	71.84	8	进入体检
9	2019120010122	001	67.0	73.07	70.04	9	进入体检
10	2019120010119	001	65.0	69.87	67.44	10	进入体检
11	2019120010123	001	58.0	71.77	64.89	11	
12	2019120020128	002	76.5	79.41	77.96	1	进入体检
13	2019120020204	002	73.0	80.60	76.80	2	进入体检
14	2019120020214	002	71.0	81.60	76.30	3	进入体检
15	2019120020206	002	72.0	80.00	76.00	4	进入体检
16	2019120020224	002	72.0	76.40	74.20	5	进入体检
17	2019120020130	002	63.5	83.17	73.34	6	进入体检
18	2019120020202	002	71.0	75.57	73.29	7	进入体检
19	2019120020218	002	67.0	78.83	72.92	8	进入体检
20	2019120020213	002	71.0	74.83	72.92	9	进入体检
21	2019120020124	002	66.5	77.63	72.07	10	进入体检
22	2019120020220	002	66.0	77.86	71.93	11	
23	2019120020201	002	63.5	78.36	70.93	12	
24	2019120020125	002	67.5	73.67	70.59	13	
25	2019120020222	002	63.5	77.03	70.27	14	
26	2019120020205	002	70.0	70.09	70.05	15	
27	2019120020208	002	59.5	78.51	69.01	16	
28	2019120020209	002	66.0	71.33	68.67	17	

29	2019120020223	002	64.5	71.80	68.15	18	
30	2019120020221	002	62.0	73.43	67.72	19	
31	2019120020211	002	66.0	65.23	65.62	20	
32	2019120020203	002	64.0	60.37	62.19	21	
33	2019120030312	003	77.0	84.30	80.65	1	进入体检
34	2019120030306	003	75.0	82.80	78.90	2	进入体检
35	2019120030303	003	73.0	80.40	76.70	3	进入体检
36	2019120030321	003	70.5	79.87	75.19	4	进入体检
37	2019120030320	003	72.5	76.77	74.64	5	进入体检
38	2019120030230	003	71.0	76.43	73.72	6	进入体检
39	2019120030327	003	64.5	82.73	73.62	7	进入体检
40	2019120030324	003	66.0	80.80	73.40	8	进入体检
41	2019120030226	003	71.5	71.46	71.48	9	进入体检
42	2019120030326	003	74.0	68.06	71.03	10	进入体检
43	2019120030227	003	68.0	73.60	70.80	11	
44	2019120030309	003	65.0	76.18	70.59	12	
45	2019120030308	003	63.5	75.74	69.62	13	
46	2019120030318	003	65.0	73.47	69.24	14	
47	2019120030305	003	61.5	75.77	68.64	15	
48	2019120030325	003	61.0	76.07	68.54	16	
49	2019120030315	003	60.5	73.62	67.06	17	
50	2019120030323	003	60.0	74.06	67.03	18	

51	2019120030328	003	61.5	71.23	66.37	19	
52	2019120030329	003	62.0	63.70	62.85	20	
53	2019120030228	003	60.5	缺考			
54	2019120040404	004	72.5	84.16	78.33	1	进入体检
55	2019120040402	004	69.5	86.53	78.02	2	进入体检
56	2019120040417	004	76.5	78.46	77.48	3	进入体检
57	2019120040412	004	73.5	79.43	76.47	4	进入体检
58	2019120040407	004	70.5	81.14	75.82	5	进入体检
59	2019120040406	004	71.5	76.67	74.09	6	进入体检
60	2019120040408	004	72.5	75.27	73.89	7	进入体检
61	2019120040411	004	72.0	74.86	73.43	8	进入体检
62	2019120040425	004	68.5	76.87	72.69	9	进入体检
63	2019120040401	004	70.0	74.87	72.44	10	进入体检
64	2019120040418	004	68.5	75.79	72.15	11	
65	2019120040405	004	68.5	74.43	71.47	12	
66	2019120040424	004	67.5	73.60	70.55	13	
67	2019120040422	004	65.5	75.50	70.50	14	
68	2019120040416	004	62.5	77.70	70.10	15	
69	2019120040420	004	66.0	71.34	68.67	16	
70	2019120040421	004	61.5	73.16	67.33	17	
71	2019120040409	004	58.5	74.74	66.62	18	
72	2019120040419	004	69.0	64.11	66.56	19	

73	2019120040413	004	59.5	71.77	65.64	20	
74	2019120050708	005	80.5	76.16	78.33	1	进入体检
75	2019120050621	005	74.5	78.03	76.27	2	进入体检
76	2019120050618	005	70.0	80.70	75.35	3	进入体检
77	2019120050610	005	69.0	81.42	75.21	4	进入体检
78	2019120050630	005	72.5	76.19	74.35	5	进入体检
79	2019120050707	005	75.0	73.27	74.14	6	进入体检
80	2019120050513	005	65.0	81.57	73.29	7	进入体检
81	2019120050709	005	72.0	73.86	72.93	8	进入体检
82	2019120050527	005	69.5	75.86	72.68	9	进入体检
83	2019120050601	005	61.5	83.53	72.52	10	进入体检
84	2019120050518	005	69.0	75.16	72.08	11	
85	2019120050523	005	68.5	73.90	71.20	12	
86	2019120050628	005	63.0	78.30	70.65	13	
87	2019120050703	005	65.0	74.87	69.94	14	
88	2019120050704	005	66.5	73.07	69.79	15	
89	2019120050428	005	61.5	76.93	69.22	16	
90	2019120050514	005	66.5	71.89	69.20	17	
91	2019120050508	005	62.5	75.76	69.13	18	
92	2019120050506	005	69.5	68.71	69.11	19	
93	2019120050608	005	64.5	72.21	68.36	20	
94	2019120050517	005	65.5	70.83	68.17	21	

95	2019120050426	005	61.0	74.77	67.89	22	
96	2019120050705	005	61.5	73.49	67.50	23	
97	2019120050526	005	62.5	71.79	67.15	24	
98	2019120050710	005	62.0	71.69	66.85	25	
99	2019120050605	005	65.5	68.14	66.82	26	
100	2019120050701	005	63.5	68.49	66.00	27	
101	2019120050606	005	61.0	66.16	63.58	28	
102	2019120050619	005	69.5	缺考			
103	2019120050520	005	68.5	缺考			
104	2019120050510	005	67.5	缺考			
105	2019120060717	006	78.0	77.53	77.77	1	进入体检
106	2019120060727	006	78.0	75.80	76.90	2	进入体检
107	2019120060829	006	73.5	76.96	75.23	3	进入体检
108	2019120060818	006	71.5	78.07	74.79	4	进入体检
109	2019120060810	006	70.5	77.93	74.22	5	进入体检
110	2019120060726	006	66.5	81.64	74.07	6	进入体检
111	2019120060712	006	76.0	72.07	74.04	7	进入体检
112	2019120060713	006	71.0	76.27	73.64	8	进入体检
113	2019120060820	006	70.0	74.94	72.47	9	进入体检
114	2019120060814	006	67.5	77.07	72.29	10	进入体检
115	2019120060730	006	67.0	77.14	72.07	11	
116	2019120060914	006	64.0	80.06	72.03	12	

117	2019120060715	006	68.0	75.27	71.64	13	
118	2019120060811	006	69.0	73.67	71.34	14	
119	2019120060830	006	63.0	78.23	70.62	15	
120	2019120060912	006	64.0	76.30	70.15	16	
121	2019120060915	006	70.5	69.48	69.99	17	
122	2019120060802	006	65.0	73.99	69.50	18	
123	2019120060822	006	61.5	77.43	69.47	19	
124	2019120060728	006	63.5	73.03	68.27	20	
125	2019120060827	006	58.0	78.33	68.17	21	
126	2019120060826	006	61.5	73.88	67.69	22	
127	2019120060720	006	63.5	71.27	67.39	23	
128	2019120060825	006	62.0	72.70	67.35	24	
129	2019120060808	006	62.5	71.01	66.76	25	
130	2019120060723	006	59.0	71.77	65.39	26	
131	2019120060722	006	60.5	69.33	64.92	27	
132	2019120060906	006	58.0	70.00	64.00	28	
133	2019120060816	006	67.0	违规			
134	2019120060804	006	66.0	缺考			
135	2019120060917	006	60.5	缺考			
136	2019120071203	007	86.5	82.24	84.37	1	进入体检
137	2019120071013	007	71.5	79.70	75.60	2	进入体检
138	2019120071008	007	76.0	75.00	75.50	3	进入体检

139	2019120071113	007	71.0	76.37	73.69	4	进入体检
140	2019120071204	007	73.0	73.71	73.36	5	进入体检
141	2019120071102	007	72.5	72.83	72.67	6	进入体检
142	2019120071007	007	75.0	70.00	72.50	7	进入体检
143	2019120071016	007	69.5	74.77	72.14	8	进入体检
144	2019120071111	007	69.5	74.23	71.87	9	进入体检
145	2019120071003	007	75.0	68.74	71.87	10	进入体检
146	2019120071206	007	70.0	73.51	71.76	11	
147	2019120071030	007	66.5	76.87	71.69	12	
148	2019120070928	007	62.5	80.10	71.30	13	
149	2019120071207	007	72.0	70.53	71.27	14	
150	2019120071117	007	70.5	71.27	70.89	15	
151	2019120071130	007	65.0	74.89	69.95	16	
152	2019120070924	007	62.5	76.00	69.25	17	
153	2019120071017	007	65.0	71.20	68.10	18	
154	2019120071128	007	61.0	74.80	67.90	19	
155	2019120071202	007	62.5	73.20	67.85	20	
156	2019120071004	007	68.0	67.07	67.54	21	
157	2019120071018	007	68.0	66.90	67.45	22	
158	2019120071025	007	63.0	71.73	67.37	23	
159	2019120071205	007	65.0	69.14	67.07	24	
160	2019120071122	007	61.0	72.47	66.74	25	



161	2019120071027	007	64.5	67.53	66.02	26	
162	2019120071129	007	60.5	71.10	65.80	27	
163	2019120071103	007	66.0	缺考			
164	2019120071127	007	64.5	缺考			
165	2019120071125	007	64.0	缺考			
166	2019120081412	008	79.0	71.73	75.37	1	进入体检
167	2019120081214	008	75.0	73.90	74.45	2	进入体检
168	2019120081326	008	66.0	81.67	73.84	3	进入体检
169	2019120081230	008	66.5	80.30	73.40	4	进入体检
170	2019120081226	008	70.0	73.90	71.95	5	进入体检
171	2019120081215	008	66.0	77.61	71.81	6	进入体检
172	2019120081315	008	66.5	76.10	71.30	7	进入体检
173	2019120081223	008	67.5	74.87	71.19	8	进入体检
174	2019120081321	008	69.5	72.46	70.98	9	进入体检
175	2019120081224	008	70.0	71.90	70.95	10	进入体检
176	2019120081309	008	64.5	76.06	70.28	11	
177	2019120081328	008	62.5	76.87	69.69	12	
178	2019120081317	008	68.0	70.20	69.10	13	
179	2019120081416	008	59.0	78.59	68.80	14	
180	2019120081402	008	64.0	73.60	68.80	15	
181	2019120081310	008	61.5	75.97	68.74	16	
182	2019120081414	008	61.0	75.77	68.39	17	

183	2019120081323	008	68.5	65.08	66.79	18	
184	2019120081213	008	62.0	71.30	66.65	19	
185	2019120081404	008	60.5	72.77	66.64	20	
186	2019120081228	008	63.0	68.50	65.75	21	
187	2019120081220	008	66.0	64.87	65.44	22	
188	2019120081307	008	60.0	69.64	64.82	23	
189	2019120081227	008	59.5	67.14	63.32	24	
190	2019120081409	008	66.5	缺考			
191	2019120081219	008	65.5	缺考			
192	2019120081311	008	65.5	缺考			
193	2019120081417	008	65.5	缺考			
194	2019120081408	008	61.0	缺考			
195	2019120081221	008	60.0	缺考			
196	2019120091601	009	82.5	81.36	81.93	1	进入体检
197	2019120091528	009	78.5	78.54	78.52	2	进入体检
198	2019120091428	009	76.5	78.03	77.27	3	进入体检
199	2019120091526	009	71.5	80.63	76.07	4	进入体检
200	2019120091620	009	74.0	77.37	75.69	5	进入体检
201	2019120091511	009	68.5	80.60	74.55	6	进入体检
202	2019120091418	009	71.5	77.13	74.32	7	进入体检
203	2019120091516	009	71.5	76.93	74.22	8	进入体检
204	2019120091619	009	70.0	78.10	74.05	9	进入体检

205	2019120091611	009	70.5	76.64	73.57	10	进入体检
206	2019120091610	009	66.0	79.97	72.99	11	
207	2019120091424	009	64.0	77.97	70.99	12	
208	2019120091529	009	67.0	74.64	70.82	13	
209	2019120091419	009	65.0	76.46	70.73	14	
210	2019120091621	009	66.5	74.17	70.34	15	
211	2019120091430	009	63.0	74.67	68.84	16	
212	2019120091519	009	59.0	77.36	68.18	17	
213	2019120091525	009	58.5	76.37	67.44	18	
214	2019120091607	009	59.5	73.53	66.52	19	
215	2019120091614	009	58.5	73.40	65.95	20	
216	2019120091504	009	61.0	70.23	65.62	21	
217	2019120091524	009	58.5	72.01	65.26	22	
218	2019120091623	009	69.0	违规			
219	2019120091527	009	68.5	缺考			
220	2019120091425	009	67.0	缺考			
221	2019120091512	009	67.0	缺考			
222	2019120091617	009	65.0	缺考			